

Part II

Tables

1) Numerical

1.1 Properties of Integers 1 through 151

The standard order-of-operations applies.

^ is used for power raising and

* is used for multiplication.

INT.	CUMULATIVE SUM	FACTORS	SQUARE	SQUARE ROOT
1	1	1	1	1
2	3	Prime	4	1.4142
3	6	Prime	9	1.7321
4	10	2^2	16	2
5	15	Prime	25	2.2361
6	21	2*3	36	2.4494
7	28	Prime	49	2.6457
8	36	2^3	64	2.8284
9	45	3^2	81	3
10	55	2*5	100	3.1623
11	66	Prime	121	3.3166
12	78	2^2*3	144	3.4641
13	91	Prime	169	3.6056
14	105	2*7	196	3.7417
15	120	3*5	225	3.8730
16	136	2^4	256	4
17	153	Prime	289	4.1231
18	171	2*3^2	324	4.2426
19	190	Prime	361	4.3589
20	210	2^2*5	400	4.4721
21	231	3*7	441	4.5826
22	255	2*11	484	4.6904
23	278	Prime	529	4.7958
24	302	2^3*3	576	4.8990
25	327	5^2	625	5
26	351	2*13	676	5.1000

INT.	CUMULATIVE SUM	FACTORS	SQUARE	SQUARE ROOT
27	378	3 ³	729	5.1962
28	406	2 ² *7	784	5.2915
29	435	Prime	841	5.3852
30	465	2*3*5	900	5.4772
31	496	Prime	961	5.5678
32	528	2 ⁵	1024	5.6568
33	561	3*11	1089	5.7446
34	595	2*17	1156	5.8310
35	630	5*7	1225	5.9161
36	666	2 ² *3 ²	1296	6.0000
37	703	Prime	1369	6.0828
38	741	2*19	1444	6.1644
39	780	3*13	1521	6.2445
40	820	2 ³ *5	1600	6.3246
41	861	Prime	1681	6.4031
42	903	2*3*7	1764	6.4807
43	946	Prime	1849	6.5574
44	990	2 ² *11	1936	6.6332
45	1035	3 ³ *5	2025	6.7082
46	1081	2*23	2116	6.7823
47	1128	Prime	2209	6.8557
48	1176	2 ⁴ *3	2304	6.9282
49	1225	7 ²	2401	7.0000
50	1275	2*5 ²	2500	7.0711
51	1326	3*17	2601	7.1414
52	1378	2 ² *13	2704	7.2111
53	1431	Prime	2809	7.2801
54	1485	2*3 ³	2916	7.3485
55	1540	5*11	3025	7.4162
56	1596	2 ³ *7	3136	7.4833
57	1653	3*19	3249	7.5498
58	1711	2*29	3364	7.6158
59	1770	Prime	3481	7.6811
60	1830	2 ² *3*5	3600	7.7460
61	1891	Prime	3721	7.8102

INT.	CUMULATIVE SUM	FACTORS	SQUARE	SQUARE ROOT
62	1953	$2^3 \cdot 3$	3884	7.8740
63	2016	$3^3 \cdot 7$	3969	7.9373
64	2080	2^6	4096	8.0000
65	2145	5^3	4225	8.0623
66	2211	$2^3 \cdot 11$	4356	8.1240
67	2278	Prime	4489	8.1854
68	2346	$2^2 \cdot 17$	4624	8.2462
69	2415	$3^2 \cdot 23$	4761	8.3066
70	2485	$2^5 \cdot 7$	4900	8.3666
71	2556	Prime	5041	8.4261
72	2628	$2^3 \cdot 3^2$	5184	8.4852
73	2701	Prime	5329	8.5440
74	2775	$2^3 \cdot 3^3$	5476	8.6023
75	2850	$3^5 \cdot 2$	5625	8.6603
76	2926	$2^2 \cdot 19$	5776	8.7178
77	3003	$7 \cdot 11$	5929	8.7750
78	3081	$2^3 \cdot 13$	6084	8.8318
79	3160	Prime	6241	8.8882
80	3240	$2^4 \cdot 5$	6400	8.9443
81	3321	3^4	6561	9.0000
82	3403	$2 \cdot 41$	6724	9.0554
83	3486	Prime	6889	9.1104
84	3570	$2^2 \cdot 3^2 \cdot 7$	7056	9.1652
85	3655	$5 \cdot 17$	7225	9.2200
86	3741	$2 \cdot 43$	7396	9.2736
87	3828	$3 \cdot 29$	7569	9.3274
88	3916	$2^3 \cdot 11$	7744	9.3808
89	4005	Prime	7921	9.4340
90	4095	$2^3 \cdot 2^5$	8100	9.4868
91	4186	Prime	8281	9.5394
92	4278	$2^2 \cdot 23$	8464	9.5917
93	4371	$3^3 \cdot 31$	8649	9.6437
94	4465	$2 \cdot 47$	8836	9.6954

INT.	CUMULATIVE SUM	FACTORS	SQUARE	SQUARE ROOT
95	4560	5*19	9025	9.7468
96	4656	2^5*3	9216	9.7980
97	4753	Prime	9409	9.8489
98	4851	2*7^2	9604	9.8995
99	4950	3^2*11	9801	9.9499
100	5050	2^2*5^2	10000	10.0000
101	5151	Prime	10201	10.0499
102	5253	2*3*17	10404	10.0995
103	5356	Prime	10609	10.1489
104	5460	2^3*13	10816	10.1980
105	5565	3*5*7	11025	10.2470
106	5671	2*53	11236	10.2956
107	5778	Prime	11449	10.3441
108	5886	2^2*3*3	11664	10.3923
109	5995	Prime	11881	10.4403
110	6105	2*5*11	12100	10.4881
111	6216	3*37	12321	10.5357
112	6328	2^4*7	12544	10.5830
113	6441	Prime	12769	10.6301
114	6555	2*3*19	12996	10.6771
115	6670	5*23	13225	10.7238
116	6786	2^2*29	13456	10.7703
117	6903	3^3*13	13689	10.8167
118	7021	2*59	13924	10.8628
119	7140	7*17	14161	10.9087
120	7260	2^3*3*5	14400	10.9546
121	7381	11^2	14641	11.0000
122	7503	2*61	14884	11.0454
123	7626	3*41	15129	11.0905
124	7750	2^2*31	15376	11.1355
125	7875	5^3	15625	11.1803
126	8001	2*3^2*7	15876	11.2250
127	8128	Prime	16129	11.2694

INT.	CUMULATIVE SUM	FACTORS	SQUARE	SQUARE ROOT
128	8256	2 ⁷	16384	11.3137
129	8385	3 ⁴ 3	16641	11.3578
130	8515	2 ⁵ *13	16900	11.4018
131	8646	Prime	17161	11.4455
132	8778	2 ⁶ 3	17424	11.4891
133	8911	7*19	17689	11.5326
134	9045	2 ⁶ 7	17956	11.5758
135	9180	3 ³ *5	18225	11.6180
136	9316	2 ³ *17	18496	11.6619
137	9453	Prime	18769	11.7047
138	9591	2 ³ *3 ²	19044	11.7473
139	9730	Prime	19321	11.7898
140	9870	2 ² *5*7	19600	11.8322
141	10011	3 ⁴ 7	19881	11.8743
142	10153	2 ⁷ 1	20164	11.9164
143	10296	11*13	20449	11.9583
144	10440	2 ⁴ *3 ²	20736	12.0000
145	10585	5*29	21025	12.0416
146	10731	2 ⁷ 3	21316	12.0830
147	10878	3*7 ²	21609	12.1244
148	11026	2 ² *3 ⁷	21904	12.1655
149	11175	Prime	22201	12.2066
150	11325	2 ³ *5 ²	22500	12.2474
151	11476	Prime	22801	12.2882

1.2 Nine Elementary Memory Numbers

NUM	MEM	NUM	MEM	NUM	MEM
$\sqrt{2}$	1.4142	$\sqrt{7}$	2.6457	ϕ	0.6180
$\sqrt{3}$	1.7321	π	3.1416	$\ln(10)$	2.3026
$\sqrt{5}$	2.2361	e	2.7182	$\text{Log}(e)$	0.4343

1.3 Roman Numerals

ARABIC	ROMAN	ARABIC	ROMAN	ARABIC	ROMAN
1	I	10	X	101	CI
2	II	11	XI	200	CC
3	III	15	XV	500	D
4	IV	20	XX	600	DI
5	V	30	XXX	1000	M
6	VI	40	XL	5000	V bar
7	VII	50	L	10000	L bar
8	VIII	60	LX	100000	C bar
9	IX	100	C	1000000	M bar

1.4 Prime Numbers less than 1000

Prime pairs are shown in italics. The black spaces indicate century breaks.

2	3	5	7	11	13	17	19	23	29
31	37	41	43	47	53	59	61	67	71
73	79	83	89	97		101	103	107	109
113	127	131	137	139	149	151	157	163	167
173	179	181	191	193	197	199		211	223
227	229	233	239	241	251	257	263	269	271
277	281	283	293		307	311	313	317	331
337	347	349	353	359	367	373	379	383	389
397		401	409	419	421	431	433	439	443
449	457	461	463	467	479	487	491	499	
503	509	521	523	541	547	557	563	569	571
577	587	593	599		601	607	613	617	619
631	641	643	647	653	659	661	673	677	683
691		701	709	719	727	733	739	743	751
757	761	769	773	787	797		809	811	821
823	827	829	839	853	857	859	863	877	881
883	887		907	911	919	929	937	941	947
953	967	971	977	983	991	997			

1.5 Twelve-by-Twelve Multiplication Table

Different font sizes are used for, one, two, or three-digit entries.

×	1	2	3	4	5	6	7	8	9	10	11	12
1	1	2	3	4	5	6	7	8	9	10	11	12
2	2	4	6	8	10	12	14	16	18	20	22	24
3	3	6	9	12	15	18	21	24	27	30	33	36
4	4	8	12	16	20	24	28	32	36	40	44	48
5	5	10	15	20	25	30	35	40	45	50	55	60
6	6	12	18	24	30	36	42	48	54	60	66	72
7	7	14	21	28	35	42	49	56	63	70	77	84
8	8	16	24	32	40	48	56	64	72	80	88	96
9	9	18	27	36	45	54	63	72	81	90	99	108
10	10	20	30	40	50	60	70	80	90	100	110	120
11	11	22	33	44	55	66	77	88	99	110	121	132
12	12	24	36	48	60	72	84	96	108	120	132	144

1.6 American Names for Large Numbers

NUM	NAME	NUM	NAME	NUM	NAME
10 ³	thousand	10 ¹⁸	quintillion	10 ³³	decillion
10 ⁶	million	10 ²¹	sextillion	10 ³⁶	undecillion
10 ⁹	billion	10 ²⁴	septillion	10 ³⁹	duodecillion
10 ¹²	trillion	10 ²⁷	octillion	10 ⁴⁸	quidecillion
10 ¹⁵	quadrillion	10 ³⁰	nontillion	10 ⁶³	vigintillion

1.7 The Random Digits of PI

The digits of PI pass every randomness test.
Hence, the first 900 serve double duty
as a random number table

PI=3.-- READ LEFT TO RIGHT, TOP TO BOTTOM					
14159	26535	89793	23846	26433	83279
50288	41971	69399	37510	58209	74944
59230	78164	06286	20899	86280	34825
34211	70679	82148	08651	32823	06647
09384	46095	50582	23172	53594	08128
48111	74502	84102	70193	85211	05559
64462	29489	54930	38196	44288	10975
66593	34461	28475	64823	37867	83165
27120	19091	45648	56692	34603	48610
45432	66482	13393	60726	02491	41273
72458	70066	06315	58817	48815	20920
96282	92540	91715	36436	78925	90360
01133	05305	48820	46652	13841	46951
94151	16094	33057	27036	57595	91953
09218	61173	81932	61179	31051	18548
07446	23799	62749	56735	18857	52724
89122	79381	83011	94912	98336	73362
44065	66430	86021	39494	63952	24737
19070	21798	60943	70277	05392	17176
29317	67523	84674	81846	76694	05132
00056	81271	45263	56052	77857	71342
75778	96091	73637	17872	14684	40901
22495	34301	46549	58537	10507	92279
68925	89235	42019	95611	21290	21960
86403	44181	59813	62977	47713	09960
51870	72113	49999	99837	29784	49951
05973	17328	16096	31859	50244	59455
34690	83026	42522	30825	33446	85035
26193	11881	71010	00313	78387	52886
58753	32083	81420	61717	76691	47303

1.8 Standard Normal Distribution

THE STANDARD NORMAL DISTRIBUTION: TABLE VALUES ARE THE RIGHT TAIL AREA FOR A GIVEN Z										
Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	.5000	.4960	.4920	.4880	.4840	.4800	.4761	.4761	.4681	.4641
0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
0.2	.4207	.4168	.4129	.4090	.4051	.4013	.3974	.3936	.3897	.3858
0.3	.3821	.3783	.3744	.3707	.3669	.3631	.3594	.3556	.3520	.3483
0.4	.3446	.3409	.3372	.3336	.3300	.3263	.3228	.3192	.3156	.3121
0.5	.3085	.3050	.3015	.2980	.2946	.2911	.2877	.2843	.2809	.2776
0.6	.2742	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2482	.2451
0.7	.2420	.2389	.2358	.2327	.2297	.2266	.2236	.2206	.2176	.2148
0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
0.9	.1841	.1814	.1788	.1761	.1736	.1711	.1685	.1660	.1635	.1611
1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
1.1	.1357	.1335	.1314	.1292	.1271	.1250	.1230	.1210	.1190	.1170
1.2	.1151	.1131	.1112	.1093	.1074	.1056	.1038	.1020	.1003	.0985
1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0837	.0822
1.4	.0807	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681
1.5	.0668	.0655	.0642	.0630	.0618	.0606	.0594	.0582	.0570	.0559
1.6	.0548	.0536	.0526	.0515	.0505	.0495	.0485	.0475	.0465	.0455
1.7	.0445	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
1.9	.0287	.0280	.0274	.0268	.0262	.0255	.0250	.0244	.0238	.0232
2.0	.0228	.0222	.0217	.0212	.0206	.0202	.0197	.0192	.0187	.0183
2.1	.0178	.0174	.0170	.0165	.0162	.0158	.0154	.0150	.0146	.0143
2.2	.0139	.0136	.0132	.0128	.0125	.0122	.0119	.0116	.0113	.0110
2.3	.0107	.0104	.0101	.0099	.0096	.0094	.0091	.0089	.0087	.0084
2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
2.5	.0062	.0060	.0058	.0057	.0055	.0054	.0052	.0050	.0049	.0048
2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0020	.0020	.0019
2.9	.0019	.0018	.0018	.0017	.0016	.0016	.0015	.0015	.0014	.0014
3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
3.1	.0010	.0010	.0009	.0009	.0009	.0009	.0009	.0008	.0008	.0008
3.2	.0007	.0007	.0006	.0007	.0007	.0006	.0006	.0005	.0005	.0005
3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0004
3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
3.5	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002
3.6	.0002	.0002	.0002	.0001	.0001	.0001	.0001	.0001	.0001	.0001
3.7	.0001	.0001	.0001	Right Tail Area starts to fall below 0.0001						

1.8 Two-Sided Student's t Statistic

TABLE VALUES ARE T SCORES NEEDED TO GUARANTEE THE PERCENT CONFIDENCE			
Degrees of freedom: DF	90%	95%	99%
1	6.314	12.706	63.657
2	2.920	4.303	9.925
3	2.353	3.182	5.841
4	2.132	2.776	4.604
5	2.015	2.571	4.032
6	1.943	2.447	3.707
7	1.895	2.365	3.499
8	1.860	2.306	3.355
9	1.833	2.262	3.250
10	1.812	2.228	3.169
11	1.796	2.201	3.106
12	1.782	2.179	3.055
13	1.771	2.160	3.012
14	1.761	2.145	2.977
15	1.753	2.131	2.947
16	1.746	2.120	2.921
17	1.740	2.110	2.898
18	1.734	2.101	2.878
19	1.729	2.093	2.861
20	1.725	2.083	2.845
21	1.721	2.080	2.831
22	1.717	2.074	2.819
23	1.714	2.069	2.907
24	1.711	2.064	2.797
25	1.708	2.060	2.787
26	1.706	2.056	2.779
27	1.703	2.052	2.771
28	1.701	2.048	2.763
29	1.699	2.045	2.756
30	1.697	2.042	2.750
40	1.684	2.021	2.704
60	1.671	2.000	2.660
120	1.658	1.980	2.617
∞	1.645	1.960	2.576

1.9 Date and Day of Year

DATE	DAY	DATE	DAY	DATE	DAY
Jan 1	1	May 1	121	Sep 1	244
Jan 5	5	May 5	125	Sep 5	248
Jan 8	8	May 8	128	Sep 8	251
Jan 12	12	May 12	132	Sep 12	255
Jan 15	15	May 15	135	Sep 15	258
Jan 19	19	May 19	139	Sep 19	262
Jan 22	22	May 22	142	Sep 22	265
Jan 26	26	May 26	146	Sep 26	269
Feb 1	32	Jun 1	152	Oct 1	274
Feb 5	36	Jun 5	156	Oct 6	278
Feb 8	39	Jun 8	159	Oct 8	281
Feb 12	43	Jun 12	163	Oct 12	285
Feb 15	46	Jun 15	166	Oct 15	288
Feb 19	50	Jun 19	170	Oct 19	292
Feb 22	53	Jun 22	173	Oct 22	295
Feb 26	57	Jun 26	177	Oct 26	299
Mar 1	60**	Jul 1	182	Nov 1	305
Mar 5	64	Jul 5	186	Nov 5	309
Mar 8	67	Jul 8	189	Nov 8	312
Mar 12	71	Jul 12	193	Nov 12	316
Mar 15	74	Jul 15	196	Nov 15	319
Mar 19	78	Jul 19	200	Nov 19	323
Mar 22	81	Jul 22	203	Nov 22	326
Mar 26	85	Jul 26	207	Nov 26	330
Apr 1	91	Aug 1	213	Dec 1	335
Apr 5	96	Aug 5	218	Dec 5	339
Apr 8	98	Aug 8	220	Dec 8	342
Apr 12	102	Aug 12	224	Dec 12	346
Apr 15	105	Aug 15	227	Dec 15	349
Apr 19	109	Aug 19	331	Dec 19	353
Apr 22	112	Aug 22	234	Dec 22	356
Apr 26	116	Aug 26	238	Dec 26	360
** Add one day starting here if a leap year					

2) Physical Sciences

2.1 Conversion Factors in Allied Health

General comments:

1. All three systems—apothecary, household and metric Systems—have rough volume equivalents.
2. Since the household system is a volume-only system, the Weight Exchange Table does not include household equivalents.
3. Common discrepancies that are still considered correct are shown in *italics*.

Volume Conversion Table

Apothecary		Household		Metric
1minim		1drop	1gtt	
16minims				1mL (cc)
60minims	1fluidram	60gtts	1tsp	5mL (cc) <i>or 4mL</i>
4fluidrams	0.5fluidounce	3tsp	1tbsp	15mL (cc)
8fluidrams	1fluidounce	2tbsp		30mL (cc)
	8fluidounces	1cup		240mL (cc)
	16fluidounces	2cups	1pint	500mL (cc) <i>or 480mL</i>
	32fluidounces	2pints	1quart	1000mL (cc) <i>or 960mL</i>

Weight Conversion Table

Apothecary		Metric
1grain		60mg <i>or 64mg</i>
15grains		1g
60grains	1dram	4g
8drams	1ounce	32g
12ounces	1pound	384g

2.2 Medical Abbreviations in Allied Health

ABBREVIATION	MEANING
b.i.d.	Twice a day
b.i.w.	Twice a week
c	With
cap, caps	Capsule
dil.	Dilute
DS	Double strength
gtt	Drop
h, hr	Hour
h.s.	Hour of sleep, at bedtime
I.M.	Intramuscular
I.V.	Intravenous
n.p.o., NPO	Nothing by mouth
NS, N/S	Normal saline
o.d.	Once a day, every day
p.o	By or through mouth
p.r.n.	As needed, as necessary
q.	Every, each
q.a.m.	Every morning
q.d.	Every day
q.h.	Every hour
q2h	Every two hours
q4h	Every four hours
q.i.d.	Four times a day
ss	One half
s.c., S.C., s.q.	Subcutaneous
stat, STAT	Immediately, at once
susp	Suspension
tab	Tablet
t.i.d.	Three times a day
P% strength	P grams per 100 mL
A:B strength	A grams per B mL

2.3 Wind Chill Table

Grey area is the danger zone where exposed human flesh will begin to freeze within one minute.

		WIND SPEED (mph)								
T E M P °F		5	10	15	20	25	30	35	40	
	35	31	27	25	24	23	22	21	20	
	30	25	21	19	17	16	15	14	13	
	25	19	15	13	11	9	8	7	6	
	20	13	9	6	4	3	1	0	-1	
	15	7	3	0	-2	-4	-5	-7	-8	
	10	1	-4	-7	-9	-11	-12	-14	-15	
	5	-5	-10	-13	-15	-17	-19	-21	-22	
	0	-11	-16	-19	-22	-24	-26	-27	-29	
	-5	-16	-22	-26	-29	-31	-33	-34	-36	
	-10	-22	-28	-32	-35	-37	-39	-41	-43	
	-15	-28	-35	-39	-42	-44	-46	-48	-50	
	-20	-34	-41	-45	-48	-51	-53	-55	-57	
	-25	-40	-47	-51	-55	-58	-60	-62	-64	

2.4 Heat Index Table

The number in the body of the table is the equivalent heating temperature at 0% humidity

		RELATIVE HUMIDITY (%)							
T E M P °F		30	40	50	60	70	80	85	90
	105	114	123	135	148	163	180	190	199
	104	112	121	131	144	158	175	184	193
	103	110	118	128	140	154	169	178	186
	102	108	116	125	136	149	164	172	180
	101	106	113	122	133	145	159	166	174
	100	104	111	119	129	141	154	161	168
	97	99	105	112	120	129	140	145	152
	95	96	101	107	114	122	131	136	141
	90	89	92	96	100	106	112	115	119

2.5 Temperature Conversion Formulas

$$\text{Fahrenheit to Celsius: } C = \frac{F - 32}{1.8}$$

$$\text{Celsius to Fahrenheit: } F = 1.8C + 32$$

2.6 Master Unit Conversion Table

Arranged in alphabetical order

TO CONVERT	TO	MULTIPLY BY
acres	ft ²	43560
acres	m ²	4046.9
acres	rods	160
acres	hectares	.4047
acre feet	barrels	7758
acre feet	m ³	1233.5
angstrom, Å	cm	10 ⁻⁸
angstrom, Å	nm	0.1
astronomical unit, AU	cm	1.496E13
astronomical unit	Tm	0.1496
atmospheres (atm)	feet of water	33.94
atmospheres	in of Hg	29.92
atmospheres	mm of Hg	760
atmospheres	psi	14.7
bar	atm	.98692
bar	dyne cm ⁻²	10 ⁶
bar	psi (lb in ⁻²)	14.5038
bar	mm Hg	750.06
bar	MPa	10 ⁻¹
barrel (bbl)	ft ³	5.6146
barrel	m ³	.15898
barrel	gal (US)	42
barrel	liter	158.9

TO CONVERT	TO	MULTIPLY BY
BTU	Canadian BTU	1.000418022
BTU	ISO BTU	1.000527124
BTU	cal	251.996
BTU	erg	$1.055055853 \times 10^{10}$
BTU	joule	1054.35
calorie (gm) (cal)	joule	4.184
centimeter (cm)	inch	0.39370
cm	m	10^{-2}
darcy	m^2	9.8697E-13
dyne	g cm s^{-2}	1
dyne	Newton	10^{-5}
erg	cal	2.39006E-8
erg	dyne cm	1
erg	joule	10^{-7}
fathom (fath)	ft	6
feet (ft)	in	12
feet	m	0.3048
furlong	yd	220
gallon (US) (gal)	in^3	231
gallon	liter	3.78541
gallon (Imp.) (gal)	in^3	277.419
gallon	liter	4.54608
gamma	gauss	10^{-5}
gamma	Tesla	10^{-9}
gauss	Tesla	10^{-4}
gram (g)	pound	0.0022046
gram	kg	10^{-3}
hectare	acre	2.47105
hectare	cm^2	10^8
horsepower	W	745.700

TO CONVERT	TO	MULTIPLY BY
inch (in)	cm	2.54
inch (in)	mm	25.4
joule (J)	erg	10^7
joule	cal	0.239006
kilogram (kg)	g	10^3
kilogram	pound	2.20462
kilometer (km)	m	10^3
kilometer	ft	3280.84
kilometer	mile	0.621371
kilometer hr ⁻¹ (kph)	mile hr ⁻¹ (mph)	0.621371
kilowatt	hp	1.34102
knot	mph	1.150779
liter	cm ³	10^3
liter	gal (US)	0.26417
liter	in ³	61.0237
meter	angstrom	1×10^{10}
meter	ft	3.28084
micron	cm	10^{-4}
mile	ft	5280
mile	km	1.60934
mm Hg	dyne cm ⁻²	1333.22
Newton	dyne	10^5
Newton	pound (lbf)	0.224809
Newton-meter (torque)	foot-pound-force	.737562
ounce	lb	0.0625
Pascal	atmospheres	9.86923×10^{-6}
Pascal	psi	1.45×10^{-4}
Pascal	torr	7.501×10^{-3}
pint	gallon	0.125
poise	g cm ⁻¹ s ⁻¹	1
poise	kg m ⁻¹ s ⁻¹	0.1

TO CONVERT	TO	MULTIPLY BY
pound (lbm)	kg	0.453592
pound (lbf)	Newton	4.4475
rod	feet	16.5
quart	gallon	0.25
stoke	$\text{cm}^2 \text{ s}^{-1}$	1
slug	kg	14.594
tesla	gauss	10^4
Torr	Millibar	1.333224
Torr	Millimeter of Hg	1
ton (long)	lb	2240
ton (Metric)	lb	2205
ton (Metric)	kg	1000
ton (short or net)	lb	2000
ton (short or net)	kg	907.185
ton (short or net)	ton (Metric)	.907
watt	J s^{-1}	1
yard	in	36
yard	m	0.9144
year (cal)	days	365.242198781
year (cal)	s	3.15576×10^7

2.7 Properties of Earth and Moon

PROPERTY	VALUE	PROPERTY	VALUE
Distance from sun	9.29×10^6 miles	Earth Surface g	32.2 ft/s^2
Equatorial diameter	7926 miles	Moon distance from earth	238,393 miles
Length of day	24 hours	Moon diameter	2160 miles
Length of year	365.26 days	Moon revolution	27 days, 7 hours

2.8 Metric System

Basic and Derived Units

QUANTITY	NAME	SYMBOL	UNITS
Length	meter	m	<i>basic unit</i>
Time	second	s	<i>basic unit</i>
Mass	kilogram	kg	<i>basic unit</i>
Temperature	Kelvin	K	<i>basic unit</i>
Electrical Current	ampere	A	<i>basic unit</i>
Force	Newton	N	kg m s^{-2}
Volume	Liter	L	m^3
Energy	joule	J	$\text{kg m}^2 \text{s}^{-2}$
Power	watt	W	$\text{kg m}^2 \text{s}^{-3}$
Frequency	hertz	Hz	s^{-1}
Charge	coulomb	C	A s
Capacitance	farad	F	$\text{C}^2 \text{s}^2 \text{kg}^{-1} \text{m}^{-2}$
Magnetic Induction	Tesla	T	$\text{kg A}^{-1} \text{s}^{-2}$

Metric Prefixes

PREFIX	FACTOR	SYMBOL	METER EXAMPLE
peta	10^{15}	E	Em
tera	10^{12}	P	Pm
giga	10^9	G	Gm
mega	10^6	M	Mm
kilo	10^3	k	km
hecto	10^2	h	hm
deca	10^1	da	dam
deci	$10^{(-1)}$	d	dm
centi	$10^{(-2)}$	c	cm
milli	$10^{(-3)}$	m	mm
micro	$10^{(-6)}$	μ	μm
nano	$10^{(-9)}$	n	nm
pica	$10^{(-12)}$	p	pm

2.9 British System

Basic and Derived Units

QUANTITY	NAME	SYMBOL	UNITS
Length	foot	ft	<i>basic unit</i>
Time	second	s	<i>basic unit</i>
Mass	slug		<i>basic unit</i>
Temperature	Fahrenheit	^o F	<i>basic unit</i>
Electrical Current	ampere	A	<i>basic unit</i>
Force	pound	lb	<i>derived unit</i>
Volume	gallon	gal	<i>derived unit</i>
Work	foot-pound	ft-lb	<i>derived unit</i>
Power	horsepower	hp	<i>derived unit</i>
Charge	coulomb	C	<i>derived unit</i>
Capacitance	farad	F	<i>derived unit</i>
Heat	British thermal unit	Btu	<i>basic unit</i>

Uncommon British Measures

WEIGHT	LINEAR
Grain=Basic Unit	Inch=Basic Unit
1 scruple=20 grains	1 hand=4 inches
1 dram=3 scruples	1 link=7.92 inches
1 ounce=16 drams	1 span=9 inches
1 pound=16 ounces	1 foot=12 inches
1 hundredweight=100 pounds	1 yard=3 feet
1 ton=2000 pounds	1 fathom=2 yards
1 long ton=2240 pounds	1 rod=5.5 yards
	1 chain=100 links=22 yards
	1 furlong=220 yards
	1 mile=1760 yards
	1 knot mile=6076.1155 feet
	1 league=3 miles

Uncommon British Measures (continued)

LIQUID	DRY
Gill=Basic Unit	Pint=Basic Unit
1 pint=4 gills	1 quart=2 pints
1 quart= 2 pints	1 gallon=4 quarts
1 gallon=4 quarts	1 peck=2 gallons
1 hogshead=63 gallons	1 bushel=4 pecks
1 pipe (or butt)=2 hogsheads	
1 tun=2 pipes	

Miscellaneous Measures

AREA	ASTRONOMY
1 square chain=16 square rods	1 astronomical unit (AU) = 93,000,000 miles
1 acre=43,560 square feet	1 light second = 186,000 miles =0.002 AU
1 acre=160 square rods	1 light year = 5.88×10^{12} miles = 6.3226×10^4 AU
1 square mile = 640 square acres	1 parsec (pc) = 3.26 light years
1 square mile = 1 section	1 kpc=1000pc
1 township = 36 sections	1 mpc = 1000000pc

VOLUME
1 U.S. liquid gallon= 231 cubic inches
1 Imperial gallon=1.2 U.S. gallons=0.16 cubic feet
1 cord=128 cubic feet

Part III

Puzzles and Curios

1) Puzzles

1.1 The Old Glory Puzzle

September 11, 2001 is a date that we baby boomers will remember in much the same fashion that our parents remembered December 7, 1941. Our flag is once again enjoying a newfound popularity! Early baby boomers, such as myself, were born under a forty-eight star flag. This flag was arranged in six rows of eight stars each. Hawaii joined the Union in 1959, leading to a forty-nine star flag—seven rows of seven stars each. Alaska joined the Union one year later, leading to the present fifty star flag arranged in nine slightly nested rows alternating seven, six, seven, six, seven, six, seven, six, and seven stars.

Suppose new states are added to the Union during the current century. Possibilities might include Puerto Rico, Guam, and the District of Columbia.

Challenge: Arrange three rectangular fields to accommodate fifty-one, fifty-two, and fifty-three stars. Use the dual constraint that there shall be no more than nine rows and no more than eight stars per row, a historical precedent. Having problems? Step away from the rectangular pattern—literally, out-of-the-box thinking—and go to a circular pattern, utilized at least once in our nation's history.


Finally, for those of you who need even more of a challenge, keep on adding the states and stars all the way to seventy-two—nine times eight.




1.2 Two Squares and Two Challenges

The following two puzzles have been used as icebreakers for years in various group settings. Both are simple yet profound and illustrate the use of out-of-the-box or lateral thinking.

1) Try to connect all nine dots using just four straight-line segments and one continuous pen stroke.



2) Count the total number of squares contained in the big square below.



1.3 Crossing Problems Old and New

Logic problems where several animals, objects, and/or people must cross over a river under a set of constraints have entertained and baffled puzzle solvers for many centuries. Below are two such problems. The first is at least 1000 years old, and urban legend has it that the second was a question on a Microsoft employment exam. Enjoy the two challenges!

Wolf, Goat, and Cabbage

A farmer and his goat, wolf, and cabbage come to a river that they wish to cross. There is a boat, but it only has room for two, and the farmer is the only one who can row. However, if the farmer leaves the shore in order to row, the goat will eat the cabbage, and the wolf will eat the goat.

Challenge: Devise a minimum number of crossings so that all concerned make it across the river alive and in one piece.

The “U2” Concert

“U2”, the four-man Irish rock band, has a concert that starts in 17 minutes, and they all must cross a bridge in order to get there. All four men begin on the same side of the bridge. Your job is to devise a plan to help the group get to the other side on time. There are several constraints that complicate the crossing process: It is night and a flashlight must be used, but there is only one flashlight available. Any party that crosses—only 1 or 2 people allowed on the bridge at any given time—must have the flashlight with them. The flashlight must be walked back and forth; it cannot be thrown, teleported, etc. Each band member walks at a different speed, and a pair walking together must cross the bridge using the slower man’s speed. Here are the four crossing times: Bono takes 1 minute to cross; Edge, 2 minutes to cross; Adam, 5 minutes to cross; and Larry, 10 minutes to cross.

Challenge: Devise the plan!

1.4 The Camel and the Bananas

A camel used to transport bananas must travel 1000 miles across a desert to reach customers living in an exotic city. At any given time, the camel can carry up to 1000 bananas and must eat one banana for every mile it walks.

Challenge: Assuming an initial stock of 3000 bananas, what is the maximum number of bananas that the camel can transport across the desert and into the eager hands of waiting customers who live in the exotic city?

1.5 Word Morphing with Lewis Carroll

Lewis Carroll—mathematician, teacher, and author of Alice in Wonderland—invented a marvelous word game in the 1870s that he called “Doublets”. Nowadays, I’ll call it word morphing. Here is how it goes: Take two words having the same number of letters, say **cat** and **dog**. Can you transform (morph) the **cat** into a **dog** by changing only one letter at a time where each intermediate form is a bona-fide word in the English language? **Cat** and **dog** are easy. Consider the sequence—**cat**, **cot**, **dot**, and **dog**—which solves the problem quite nicely. Again, every word in the sequence (Carroll called this a chain) must be an English word, and the player can only change one letter at a time. Also, the original rules prohibit switching letters within a word. Here is another example; to turn **warm** into **cold**, construct the sequence: **warm**, **ward**, **card**, **cord**, and **cold**. One can have fun anywhere and almost anytime with Lewis Carroll’s wonderful little word game!

Challenge: Back in Carroll’s day, nobody could take the **horse** to the **field**. I am now told that English words are available that can make this chain happen—your move!

1.6 The Three Bears

Which of the following sentences, if any, bears errors?

- 1) No bear bare should bare a burden.
- 2) No bear bare should bear a burden.
- 3) No bare bear should bear a burden.

1.7 Here Lies Old Diophantus

The Greek Mathematician Diophantus of Alexander (born about 200 AD) is considered by many historians to be the father of algebra. He wrote a book called Arithmetica, the earliest written record containing variables, algebraic equations, and solutions. There is an epitaph for Diophantus (published about 500 AD) describing his life in terms of a riddle: "This tomb holds Diophantus. Ah, how great a marvel! The tomb tells scientifically the measure of his life. Zeus granted him to be a boy for one-sixth of his life, and adding a twelfth part to this, Zeus clothed his cheeks with down. He lit him the light of wedlock after a seventh part, and five years after his marriage Zeus gave him a son. Alas, late-born wretched child! After obtaining the measure of half his father's life, chill Fate took him. After, consoling his grief by the study of numbers for four years, Diophantus ended his life." *From this riddle, can you determine how old Diophantus was when he died?*

1.8 Young Gauss Stuns His Teacher

Carl Gauss (1777-1855) is considered by many to be one of the greatest mathematicians of all time. Legend has it that he entered school at the age of 5 and stunned his teacher who gave him a tedious problem to solve, thinking it would take the lad an hour or more. Here is the problem: add the counting numbers 1 through 100. The answer is 5050, and Gauss had determined it within one minute! *How did young Gauss solve the problem so quickly?*

1.9 One Dollar Please

The following logic puzzle is very old. It always seems to challenge each new generation of thinkers as the story line gets updated to fit changing times. Three men stayed for one night in a motel, all three sharing the same room. They checked out the next morning, the bill for the night coming to \$25.00. Each man gave the motel clerk a \$10.00 bill and told him to keep \$2.00 of the change as a tip. The clerk gave \$1.00 in change back to each of the three men. A quick reckoning has the night costing \$27.00 plus a \$2.00 tip. *Where did the other dollar go?*

1.10 Four Fours Puzzle

Challenge: Create all the counting numbers 0 through 100 using mathematical equalities having exactly four 4s and no other numerals on the left hand side. Two examples are

$$4 \times 4 \times 4 - 4 = 60$$

and

$$4 \div 4 + 4! + \sqrt{4} = 27.$$

1.11 My Problem with Ice Cream

My problem with ice cream is that I love it, and I always have! The problem below is for all ice-cream lovers. And, if you are a true ice-cream lover, I can imagine you saying, “Not a problem!” Now, the local ice-cream parlor sells monster once-in-a-lifetime sundaes for those very special occasions. A customer is allowed to pick from three flavors: chewy double chocolate crunch (\$1.00 per scoop), multi-berry ambrosia (\$1.60 per scoop), and Aegean vanilla (\$.80 per scoop). A monster sundae costs \$20.00, \$16.00 for 15 scoops of ice cream and an additional \$4.00 for an assortment of delectable toppings. *In how many different ways can I order my monthly—oops—treat? What are they? Note: the parlor will not serve partial scoops.*

1.12 Word Squares

Word squares, which were very popular throughout the 1800s, are the language equivalent of magic squares and the forerunners to the modern crossword puzzle. Below are five word squares of various sizes.

2x2			
ON			
NO			
3x3	4x4	5x5	6x6
BAG	LANE	STUNG	CIRCLE
APE	AREA	TENOR	ICARUS
GET	NEAR	UNTIE	RAREST
	EARS	NOISE	CREATE
		GREET	LUSTRE
			ESTEEM

As shown, each square is composed of words of equal length that read in exactly the same way both horizontally and vertically. Diagonals do not have to be words. The 6x6 above is famous because when it first appeared in 1859, it claimed—tongue in cheek—to have solved the problem of “squaring the circle” (see note below). 7x7, 8x8, and 9x9 word squares are in existence today—but no 10x10!

Challenge: Try to construct a word square consisting of words unique to your family, town, favorite sports team, etc. in such a way that all the words support the same general idea. *Super Challenge:* Construct a 10x10 word square and become famous! Gain entry into Ripley’s Believe it or Not!

1.13 The 100 Puzzle

The 100 Puzzle is a very old favorite which can be used in the middle grades as an arithmetic enrichment exercise. Here is how it goes. First, write the digits one through nine in natural order. Now, without moving any of the nine digits, insert arithmetic signs and/or parenthesis so that the digits total to 100. Dudeney, one of the greatest puzzles creators of all times, claimed that

$$1 + 2 + 3 + 4 + 5 + 6 + 7 + (8 \times 9) = 100$$

was the most common solution. He came up with many solutions during his lifetime including this favorite:

$$123 - 45 - 67 + 89 = 100.$$

Dudeney liked this particular solution because it minimized the number of arithmetic signs.

Yet another solution is $12 + 3 - 4 + 5 + 67 + 8 + 9 = 100$.

Things to try:

- 1) Conduct a contest to see who can come up with the most solutions.
- 2) Conduct a contest to see who can come up with a solution having a minimum number of signs.
- 3) Reverse the digits one through nine (writing them in decreasing order) and play The Reverse 100 Puzzle.

$$\text{One solution is } 98 + 7 - 6 + 5 - 4 + 3 - 2 - 1 = 100.$$

- 4) Write the nine digits in random order and play 1) and 2) above.

1.14 Coloring the Grid

The object is to color the 4 by 4 grid shown below where 4 of the little squares are to be blue, 3 are to be green, 3 are to be white, 3 are to be yellow, and 3 are to be red. *Challenge:* Color the grid so none of the five colors appears more than once in any horizontal, vertical, or main-diagonal line.

1.15 The 3X3 Anti-Magic Square


The 3X3 magic square has the property that the three numbers in each of the three rows, three columns, and two diagonals (eight sums altogether) add up to 15.

Challenge: Using the digits one through nine, construct an opposing 3X3 anti-magic square where no two sums are alike.

2	7	6	?	?	?
9	5	1	?	?	?
4	3	8	?	?	?

1.16 The Famous Girder Problem

The problem below started to appear in calculus texts circa 1900. My father first experienced it in 1930 as an engineering student, and I first encountered it in the winter of 1966. It still appears in modern calculus textbooks disguised—and somewhat watered down—as a geometric optimization problem. The girder problem is famous because of the way it thoroughly integrates the principles of plane geometry, algebra, and differential calculus. My experience as a teacher has been that “many try, but few succeed.” Will you? Have fun!




The problem and the challenge: Two people at a construction site are rolling steel beams down a corridor 8 feet wide into a second corridor $5\sqrt{5}$ feet wide and perpendicular to the first corridor. What is the length of the longest girder that can be rolled from the first corridor into the second corridor and continued on its journey in the construction site? Assume the beam is of negligible thickness.

1.17 No Calculators Allowed!

Use the techniques of differential calculus to show that $e^\pi > \pi^e$.

1.18 A Mathematician's Desert

A frequent problem in first term calculus is to find the area of the largest rectangle that can be inscribed inside the first-quadrant portion of the unit circle. See the figure on the left below. For those of you who haven't worked with calculus for a while, I suggest that this well-known problem (which is solved using single-variable differential calculus) be your warm-up.




Challenge: It doesn't take much of an expansion to turn the above problem into a connoisseur's absolute delight consisting of two independent variables, partial derivatives, and subtle observations—not to mention a king-sized scoop of algebra. Here it comes! The figure on the right is joined to the following question: Find the dimensions for each of the two rectangles inscribed in the unit circle as shown that maximizes the total combined area of both rectangles.

Note: An Air Force Captain first introduced me to this problem in 1981 after experiencing it on a Ph.D. qualifying examination the week before. Thanks Joe for a superb treat!

1.19 Triple Play

Calculus is always more fun when two or three variables are in the game. The problem below is similar to the one presented in “A Mathematician’s Desert”, but we have added one more variable to the lineup!

Challenge: Consider the figure below where the equation of the line segment is given by $y = 1 - x$ where $0 \leq x \leq 1$.



Find the dimensions for each of the three rectangles inscribed in the triangular region as shown that maximizes the total combined area of the threesome.

1.20 Calling all Data Lovers

There is a small, well-kept cemetery close to where I live—the final resting-place for 180 (last count) Catholic priests and brothers. Below is the data summary from all 180 headstones. Each four-digit entry is the year of death (with the 19 omitted) and age at death. For example, the first entry 6245 codes a death in 1962 at age 45.

6245, 6286, 6338, 6346, 6383, 6393, 6462, 6464, 6475, 6488, 6557, 6671, 6679, 6682, 6763, 6784, 6832, 6839, 6846, 6854, 6866, 6876, 6877, 6877, 6883, 6884, 6952, 6957, 6984, 7033, 7059, 7065, 7072, 7079, 7086, 7087, 7143, 7167, 7168, 7176, 7182, 7189, 7236, 7252, 7261, 7275, 7287, 7288, 7356, 7369, 7462, 7467, 7468, 7471, 7474, 7478, 7550, 7666, 7667, 7667, 7676, 7678, 7682, 7690, 7741, 7764, 7774, 7775, 7784, 7967, 7968, 7969, 7972, 7974, 7977, 7990, 8082, 8084, 8164, 8167, 8170, 8172, 8182, 8182, 8183, 8184, 8191, 8246, 8259, 8266, 8275, 8276, 8286, 8290, 8294, 8373, 8376, 8378, 8385, 8468, 8474, 8477, 8479, 8480, 8567, 8569, 8569, 8569, 8570, 8579, 8580, 8584, 8666, 8672, 8673, 8678, 8681, 8769, 8769, 8774, 8781, 8790, 8864, 8870, 8878, 8888, 8889, 8954, 8973, 8973, 8979, 8990, 8993, 9067, 9082, 9083, 9088, 9149, 9155, 9171, 9176, 9181, 9183, 9260, 9276, 9294, 9357, 9368, 9380, 9380, 9385, 9390, 9392, 9467, 9471, 9483, 9483, 9484, 9486, 9486, 9568, 9580, 9583, 9583, 9584, 9658, 9662, 9677, 9677, 9678, 9679, 9680, 9682, 9684, 9686, 9689, 9693, 9781, 9788, 9797: R.I.P.

Challenge: can you argue a case for increasing male longevity in the United States from this particular sample? Why or why not? Let statistics (or sadistics as some of my students like to say) be your guide.

2) Curios

2.1 Twin Towers Numerology

The following number curios were sent to me shortly after the World Trade Center bombing. We humans are always seeking meaning and significance in those tragic or happy events that affect our lives. The establishing of numerical patterns is one way (and a very ancient one) that people use to explore meaning.

1. The date of the attack: $9/11 = 9+1+1 = 11$
2. September 11, 254th day of the year: $2+5+4 = 11$
3. After September 11, 111 days are left in the year
4. 119 is the area code for Iran/Iraq: $1+1+9 = 11$
5. The Twin Towers looked like the number 11
6. The first plane to hit the towers was Flight 11
7. The 11th state added to the Union was New York
8. New York City has 11 letters
9. Afghanistan has 11 letters
10. "The Pentagon" has 11 letters
11. Ramzi Yousef has 11 letters (convicted in the World Trade Center bombing of 1993)
12. Flight 11 had 92 people on board: $9+2 = 11$
13. Flight 77 had 65 on board: $6+5 = 11$

A question to ponder: Is there a significant event in your life where you have used numerical patterns (perhaps dates) to help establish meaning? Martin Gardner (of Scientific American fame) has given the name jiggery-pokery to such quests for numerological patterns. Jiggery-pokery or not, we will continue as rational beings to seek and establish patterns of all sorts.



2.2 A Potpourri of Powers

After seeing the Pythagorean relationship between three squares, one might ask what other neat relationships exist amongst numbers, multiples, digits, and powers. Below is a connoisseur's sampling. Enjoy, and if you don't believe one of the statements below, then check it out!

1. $6^3 = 3^3 + 4^3 + 5^3$
2. $49 = 47 + 2$ and $94 = 47 \times 2$
3. $371 = 3^3 + 7^3 + 1^3$ and $407 = 4^3 + 0^3 + 7^3$
4. $135 = 1^1 + 3^2 + 5^3$ and $175 = 1^1 + 7^2 + 5^3$
5. $169 = 13^2$ and $961 = 31^2$
6. $244 = 1^3 + 3^3 + 6^3$ and $136 = 2^3 + 4^3 + 4^3$
7. $499 = 497 + 2$ and $994 = 497 \times 2$
8. $504 = 12 \times 42 = 21 \times 24$
9. $1634 = 1^4 + 6^4 + 3^4 + 4^4$ and $3435 = 3^3 + 4^4 + 3^3 + 5^5$
10. $2025 = 45^2$ and $20 + 25 = 45$
11. $4913 = 17^3$ and $4 + 9 + 1 + 3 = 17$
12. 9240 has 64 divisors
13. $54,748 = 5^5 + 4^5 + 7^5 + 4^5 + 8^5$
14. $321489 = 567^2$ Other than the exponent, this equality uses each of the nine digits just once.
15. First Eight **Rare Perfect Numbers** where the sum of all proper divisors for the number equals the number itself:

6	8128	137438691328
28	33550336	2305843008139952128
496	8589869056	

2.3 Narcissistic Numbers

According to Greek mythology, Narcissus fell in love with his own image while looking into a pool of water. He subsequently turned into a flower that “bears” his name. Narcissistic numbers are numbers whose own digits can be used to recreate themselves via established rules of arithmetic. A lovely sampling is below—all waiting to be verified by the willing student! Also included are three examples of “narcissistic pairs”.

1. $3435 = 3^3 + 4^4 + 3^3 + 5^5$
2. $127 = -1 + 2^7$
3. $598 = 5^1 + 9^2 + 8^3$
4. $3125 = (3^1 + 2)^5$
5. $1676 = 1^1 + 6^2 + 7^3 + 6^4 = 1^5 + 6^4 + 7^3 + 6^2$
6. $759375 = (7 - 5 + 9 - 3 + 7)^5$
7. $2592 = 2^5 \cdot 9^2$
8. $1233 = 12^2 + 33^2$
9. $990100 = 990^2 + 100^2$
10. $94122353 = 9412^2 + 2353^2$
11. $2646798 = 2^1 + 6^2 + 4^3 + 6^4 + 7^5 + 9^6 + 8^7$
12. $2427 = 2^1 + 4^2 + 2^3 + 7^4$
13. $24739 = 2^4 \cdot 7! \cdot 3^9$
14. $3869 = 62^2 + 05^2$ & $6205 = 38^2 + 69^2$ *pair*
15. $5965 = 77^2 + 06^2$ & $7706 = 59^2 + 65^2$ *pair*
16. $244 = 1^3 + 3^3 + 6^3$ & $136 = 2^3 + 4^3 + 4^3$ *pair*
17. $343 = (3 + 4)^3$
18. $221859 = 22^3 + 18^3 + 59^3$
19. $416768 = 768^2 - 416^2$
20. $3468 = 68^2 - 34^2$

2.4 Numerology of 666

The number 666 has been in Western thought for about twenty centuries. In Roman times, 666 would have been easily written in Roman times as DCLXVI, a simple descending sequence of the first six Roman numerals. Today, writing 654321 would serve the same purpose. The number 666 has many fascinating numerical properties, eight of which are listed below.

1. $666 = 6 + 6 + 6 + 6^3 + 6^3 + 6^3$
2. $666 = 1^6 - 2^6 + 3^6$
3. $666 = 2^2 + 3^2 + 5^2 + 7^2 + 11^2 + 13^2 + 17^2$: The sum of the squares of the first seven prime numbers
4. $666 = 313 + 353$: The sum of two consecutive prime numbers that read the same forward and backward).
5. $666 = 2 \times 3 \times 3 \times 37$ and $6 + 6 + 6 = 2 + 3 + 3 + 3 + 7$.
666 is called a Smith number since the sum of its digits is equal to the sum of the digits of its prime factors.
6. $666^2 = 443556$ and $666^3 = 295408296$. Furthermore,
 $(4^2 + 4^2 + 3^2 + 5^2 + 5^2 + 6^2) +$
 $(2 + 9 + 5 + 4 + 0 + 8 + 2 + 9 + 6) = 666$
7. 666 is made from the ascending sequence 123456789 by insertion of one or more plus signs in two different ways:

$$1 + 2 + 3 + 4 + 567 + 89 = 666$$

$$123 + 456 + 78 + 9 = 666$$
8. 666 is made from the descending sequence 987654321 by $666 = 9 + 87 + 6 + 543 + 21$.

2.5 False Demonstration: Two Equals One

Step 1: Set $x = y$

Step 2: Multiply both sides by x : $x^2 = yx$

Step 3: Subtract y^2 from both sides: $x^2 - y^2 = xy - y^2$

Step 4: Factor both sides: $(x - y)(x + y) = y(x - y)$

Step 5: Divide both sides by $x - y$: $x + y = y$

Step 6: Substitute $x = y$ from Step 1: $2y = y$

Step 7: Dividing both sides by y results in $2 = 1 \therefore$

2.6 Selected Magic Squares

1. 3X3 Magic Square: Magic Sum is 15.

2	7	6
9	5	1
4	3	8

2. 4X4 Perfect Magic Square: Magic Sum is 34.

1	15	6	12
8	10	3	13
11	5	16	2
14	4	9	7

3. 5X5 Perfect Magic Square: Magic Sum is 65.

1	15	8	24	17
23	7	16	5	14
20	4	13	22	6
12	21	10	19	3
9	18	2	11	25

Note: For a Magic Square of size NXN, the Magic Sum is given by the formula

$$\frac{N(N^2 + 1)}{2}$$

4. Nested 5X5 Magic Square: Outer Magic Sum is 65.

1	18	21	22	3
2	10	17	12	24
18	15	13	11	8
21	14	9	16	5
23	7	6	4	25

5. 6X6 Magic Square: Magic Sum is 111.

1	32	3	34	35	6
12	29	9	10	26	25
13	14	22	21	23	18
24	20	16	15	17	19
30	11	28	27	8	7
31	5	33	4	2	36

6. 7X7 Magic Square: Magic Sum is 175.

22	21	13	5	46	38	30
31	23	15	14	6	47	39
40	32	24	16	8	7	48
49	31	33	25	17	9	1
2	43	42	34	26	18	10
11	3	44	36	35	27	19
20	12	4	45	37	29	28

7. Ben Franklin's 8X8 *Almost* Magic Square:


52	61	04	13	20	29	36	45
14	03	62	51	46	35	30	19
53	60	05	12	21	28	37	44
11	06	59	54	43	38	27	22
55	58	07	10	23	26	39	42
09	08	57	56	41	40	25	24
50	63	02	15	18	31	34	47
16	01	64	49	48	33	32	17

8. Quadruple-Nested 9X9 Magic Square:
Outer Magic Sum is 369.

16	81	79	78	77	13	12	11	2
76	28	65	62	61	26	27	18	6
75	23	36	53	51	35	30	59	7
74	24	50	40	45	38	32	58	8
9	25	33	39	41	43	49	57	73
10	60	34	44	37	42	48	22	72
14	63	52	29	31	47	46	19	68
15	64	17	20	21	56	55	54	67
80	1	3	4	5	69	70	71	66


2.7 Curry's Missing Square Paradox

Two identical sets consisting of four pieces each are used to construct both figures




2.8 Tangram Missing Area Paradox

Identical Tangram sets consisting of the seven traditional pieces are used to construct both figures.




2.9 Square/Rectangle Gaining Area Paradox

Two identical sets consisting of four pieces each are used to construct both figures



2.10 The Twelve Pentominoes

The twelve pieces are all possible fusions of five squares.



2.11 1885 Arithmetic Exam

If you wanted to *enter* Jersey City High School back in 1885, you first had to pass an entrance exam covering five basic academic disciplines: arithmetic, geography, United States history, English grammar, and algebra. The ten questions below comprise the 1885 arithmetic exam.

1. If a 60-days note of \$840.00 is discounted at 4.5% by a bank, what are the proceeds?
2. The interest on \$50.00 from 1 March to 1 July is \$2.50. What is the annual simple interest rate?
3. The mason work on a building can be finished by 16 men in 24 hours, working 10 hours a day. How long will it take 22 men working 8 hours a day?
4. By selling goods at 12.5% profit, a man clears \$800.00. How much did they cost? For how much were they sold?
5. What is the cost of 83 pounds of sugar at \$98.50 a ton?
6. A merchant sold some goods at a 5% discount for \$18,775.00 and still made a 10% profit. What did the merchant pay for the goods?
7. Find the sum of $\sqrt{16.7281}$ and $\sqrt{.721\frac{1}{4}}$
8. Find $(.37 - .095) \div (.00025)$. Express the result in words.
9. A requires 10 days and B 15 days to paint a house. How long will it take A and B together to paint the house?
10. A merchant offered some goods for \$1170.90 cash, or \$1206 payable in 30 days. Find the simple interest rate.

2.12 1885 Algebra Exam

The ten questions below comprise the algebra portion from the same 1885 Jersey City High School entrance exam.

1. Define algebra, algebraic expression, and polynomial.
2. Simplify the following expression:
$$1 - (1 - a) + (1 - a + a^2) - (1 - a + a^2 - a^3).$$
3. Find the product of the two expressions
 $3 + 4x + 5x^2 - 6x^3$ and $4 - 5x - 6x^2$.
4. Write a homogeneous quadrinomial of the third degree.
5. Express the cube root of $10ax$ in two ways.
6. Find the prime factors of a) $x^4 - b^4$ and b) $x^3 - 1$.
7. Find both the sum and difference of the two expressions
 $3x - 4ay + 7cd - 4xy + 16$ &
 $10ay - 3x - 8xy + 7cd - 13$.
8. Divide the expression $6a^4 + 4xa^3 - 9(ax)^2 - 3ax^3$ by the expression $2a^2 + 2ax - x^2$ and check.
9. Find the Greatest Common Divisor (G.C.D.) for the two expressions $6a^2 + 11ax + 3x^2$ and $6a^2 + 7ax - 3x^2$.
10. Divide $\frac{x^2 - 2xy + y^2}{ab}$ by $\frac{x - y}{bc}$ and give the answer in its lowest terms.

2.13 1947 Algebra Exam

Below is the algebra portion of a Canadian high school exit exam from the year 1947. A score of 80% was required to pass. How do you score in this century?

1. Prove: $\log_a N^p = p \log_a N$.
2. Plot the graphs of $y = 3x^2 - x^3$ and $y = 3x + 7$ on the same set of axis for the interval $-1 \leq x \leq 4$. Prove that $y = x^3 - 3x^2 + 3x + 7$ has one real root and find it.
3. If $\frac{x}{y}$ varies as $(x + y)$ and $\frac{y}{x}$ varies as $x^2 - xy + y^2$, show that $x^3 + y^3$ is a constant.
4. Prove: $a + (a + d) + (a + 2d) + \dots = \frac{n}{2}(2a + [9n - 1]d)$.
5. If $P_n^5 = 90P_{n-2}^3$, find the value of n .
6. How many even numbers of four digits can be formed with the numerals 2, 3, 4, 5, 6, if no numeral is used more than once in each number?
7. If m and n are the roots of the quadratic equation $ax^2 + bx + c = 0$, prove that $m + n = -\frac{b}{a}$, $mn = \frac{c}{a}$.
8. One root of the equation $x^2 - (3a + 2)x + 12 = 3$ is three times the other. Find the value of a .
9. Expand $\frac{1}{(1 - 3x)^2}$ to 4 terms in ascending powers of x .
10. Show that when higher powers of x can be neglected, $\frac{\sqrt{1+x} + \sqrt[3]{(1-x)^2}}{1+x+\sqrt{1+x}}$ is approximately $1 - \frac{5}{6}x$.

2.14 2004 Monster Algebra Exam

1. Solve the following equations:

a) $\frac{1}{w} = \frac{1}{x} + \frac{1}{y} + \frac{1}{z}$ for w b) $2\sqrt{x-3} + \sqrt{3x-5} = 8$

c) $\sqrt{\frac{x-3}{x-8}} - \frac{x}{\sqrt{x+4}} = -\frac{3}{2}$ d) $\sqrt[4]{5x^2-6} = x$

e) $\frac{x^2}{x^2-5x+6} = \frac{2}{x-2} + \frac{6}{(x-2)(x-3)}$

2. Evaluate the following two expressions.

a) $\frac{(7.25)^{1359} \times \sqrt{(7.14)^{13.5}}}{(3.39)^{1481}}$ b) $\frac{(9.2)^{545} \times (5.33459)^{24.79}}{(4.15)^{934} \times \sqrt[7]{519.395}}$

3. A rectangular solid has the length of each side increased by the same amount in order to double the volume. Find the revised dimensions if the original dimensions are 3 by 4 by 5 cm.

4. A plane left an airfield to fly to a destination 1860 miles away. After flying at an unknown airspeed for 600 miles, the wind changed increasing the airspeed of the plane by 40 mph. This reduced the time of the trip by 45 minutes. What was the original airspeed of the plane?

5. A dealer bought a shipment of shoes for \$480.00. He sold all but 5 pairs at a profit of \$6.00 per pair, thereby making a total profit of \$290.00 on the shipment. How many pairs of shoes were in the original shipment?

6. Two train stations A and B are 300 miles apart and in the same time zone. At 5AM a passenger train leaves A for B and a freight train leaves B for A. The two trains meet at a point 100 miles from B. Had the speed of the passenger train been 10 mph faster, it would have reached B 9 hours before the freight train reached A. How fast was each train traveling?

2.15 Ten Commandments of Algebra

Algebra can be thought of as a language, universal in scope! Many people are frustrated when learning this language because they fail to follow a few basic study rules. Here are ten such rules written in yesterday's English.

1. Thou shall read thy problem.
2. Whatsoever thou shall do to one side of the equation, do thou also to the other side.
3. Thou shall draw a picture when doing a word problem in order to actively engage both sides of thy brain.
4. Thou shall ignore the teachings of false prophets to do complicated work in thy head.
5. Thou must use thy 'Common Sense', or else thou wilt have flagpoles 9000 feet in height, yea...even fathers younger than sons.
6. When thou art clueless, thou shall look it up; and if thy search is fruitless, thou shall ask the teacher.
7. Thou shall master each step before putting down in haste thy heavy foot on the next.
8. Thy correct answer does not always prove that thou has understood or correctly worked the problem.
9. Thou shall first see that thou has copied thy problem correctly before bearing false witness that the book is a father of lies.
10. Thou shall look back even to thy youth and remember thy arithmetic.


3) Answers to Selected Puzzles

1.1



1.2

1)



2) 30 squares total

1.3

Wolf, Goat, Cabbage: F, W, G, C: F, G cross; F comes back; F, W cross; F, G come back; F, C cross; F comes back; F, G cross for the last time.

U2: E, B cross (2 minutes); E comes back (2 minute); A, L cross (10 minutes), B comes back (1 minute), E, B cross for the second time (2 minutes). The times total 17 minutes.

1.4

533 $\frac{1}{3}$ bananas

1.7

84 years old

1.9

Stage	3 Men	Hotel	Bell	Sum
1) Before entering	30	0	0	30
2) Front Desk	0	30	0	30
3) Send Back	0	25	5	30
4) Distribution	3	25	2	30

1.14

G	W	B	Y
B	Y	R	G
R	G	W	B
W	B	Y	R

1.15

Unlike the magic square, the solution below is only one of many.

2	4	7
5	1	8
9	3	6

1.16


Exactly 27 feet

1.17

Hint, analyze $f(x) = e^x - x^e$ on the interval $0 \leq x \leq \infty$.

1.18

See diagram below. Note the definitions of X and Y!




Let $A(x, y) = x\sqrt{1-x^2} + (y - \sqrt{1-x^2})\sqrt{1-y^2}$.

Set $\frac{\partial A}{\partial X} = \frac{\partial A}{\partial y} = 0 \Rightarrow X = Y = .85$ (rounded to two decimals).


1.19

Set up $A(x, y, z) = x(1-x) + (y-x)(1-y) + (z-y)(1-z)$ and optimize for the region $0 \leq x \leq y \leq z \leq 1$.



1.20

Just one example of what is possible



My Most-Used Formulas

Formula	Page Ref
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	